

Journal Papers on Unsaturated Soils

2002

Tang, G.X and Graham, J. (2002) *A possible elastic-plastic framework for unsaturated soils with high-plasticity*, Canadian Geotechnical Journal, Vol. 39, No. 4, pp. 894-907.

Tang, G.X., Graham, J., Blatz, J., Gray, M. and Rajapakse, R.K.N.D. (2002) *Suctions, stresses and strengths in unsaturated sand-bentonite*, Engineering Geology, Vol. 64, No. 2-3, pp. 147-156.

Tsaparas, I., Rahardjo, H., Toll, D.G. and Leong, E.C. (2002) *Controlling Parameters for Rainfall-Induced Landslides*, Computers and Geotechnics, Vol. 29, pp. 1-27.

2001

Agus, S. S., Leong, E. C. and Rahardjo, H. (2001) *Soil-water characteristic curves of Singapore residual soils*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 285-309.

Albercht, B.A. and Benson, C.H. (2001) *Effect of desiccation on compacted natural clays*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 127, No. 1, pp. 67-75.

Al-Shayea, N.A. (2001) *The combined effect of clay and moisture content on the behavior of remolded unsaturated soils*, Engineering Geology, Vol. 62, No. 4, pp. 319-342.

Arampatzis, G., Tzimopoulos, C., Sakellariou-Makrantonaki, M. and Yannopoulos, S. (2001) *Estimation of unsaturated flow in layered soils with the finite control volume method*, Irrigation and Drainage, Vol. 50, No. 4, pp. 349-358.

Aung, K.K., Rahardjo, H., Leong, E.C. and Toll, D.G. (2001) *Relationship between porosimetry measurement and soil-water characteristic curve for an unsaturated residual soil*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 401-416.

Barry, D.A., Lisle, I.G., Li, L., Prommer, H., Parlange, J.Y., Sander, G.C. and Griffioen, J.W. (2001) *Similitude applied to centrifugal scaling of unsaturated flow*, Water Resources Research, Vol. 37, No. 10, pp. 2471-2479.

Burger, C. A and Shackelford, C. D. (2001) *Soil-water characteristic curves and dual porosity of sand-diatomaceous earth mixtures*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 127, No. 9, pp. 790-800.

Burger, C. A. and Shackelford, C. D. (2001) *Evaluating dual porosity of pelletized diatomaceous earth using bimodal soil-water characteristic curve functions*, Canadian Geotechnical Journal, Vol. 38, No. 1, pp. 53-66.

Cameron, D. A. (2001) *The extent of soil desiccation near trees in a semi-arid environment*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 357-370.

- Carberry, J.B. and Wik, J. (2001) *Comparison of ex situ and in situ bioremediation of unsaturated soils contaminated by petroleum*, Journal of Environmental Science and Health Part A-Toxic/Hazardous Substances & Environmental Engineering, Vol. 36, No. 8, pp. 1491-1503.
- Chen, C. and Payne, W.A. (2001) *Measured and modeled unsaturated hydraulic conductivity of a Walla Walla silt loam*, Soil Science Society of America Journal, Vol. 65, No. 5, pp. 1385-1391.
- Colombetti, A. and Nicolodi, F. (2001) *Le prove infiltrometriche come mezzo d'indagine del non saturo (in italian)*, Acque Sotterranee, Vol. 69, pp. 1-19.
- Constales, D. and Kacur, J. (2001) *Determination of soil parameters via the solution of inverse problems in infiltration*, Computational Geosciences, Vol. 5, No. 1, pp. 25-46.
- Diaw, E.B., Lehmann, F. and Ackerer, P. (2001) *One-dimensional simulation of solute transfer in saturated-unsaturated porous media using the discontinuous finite elements method*, Journal of Contaminant Hydrology, Vol. 51, No. 3-4, pp. 197-213.
- Fityus, S.G. and Smith, D.W. (2001) *Solution of the unsaturated soil moisture equation using repeated transforms*, International Journal for Numerical and Analytical Methods in Geomechanics, Vol. 25, No. 15, pp. 1501-1524.
- Fourie, A.B., Hofmann, B.A., Mikula, R.J., Lord, E.R.F. and Robertson, P.K. (2001) *Partially saturated tailings sand below the phreatic surface*, Géotechnique, Vol. 51, No. 7, pp. 577-585.
- Gabr, M.A., Coonse, J. and Lambe, P.C. (2001) *A potential model for compaction evaluation of piedmont soils using Dynamic Cone Penetrometer (DCP)*, Geotechnical Testing Journal, ASTM, Vol. 24, No. 3, pp. 308-313.
- Govindaraju, R.S., Morbidelli, R. and Corradini, C. (2001) *Areal infiltration modeling over soils with spatially correlated hydraulic conductivities*, Journal of Hydrologic Engineering, Vol. 6, No. 2, pp. 150-158.
- Houston, S.L., Houston, W.N., Zapata, C.E. and Lawrence, C. (2001) *Geotechnical engineering practice for collapsible soils*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 333-355.
- Karube, D. and Kawai, K. (2001) *The role of pore water in the mechanical behavior of unsaturated soils*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 211-241.
- Kelly, S.F. and Selker, J.S. (2001) *Osmotically driven water vapor transport in unsaturated soils*, Soil Science Society of America Journal, Vol. 65, No. 6, pp. 1634-1641.
- Khalili, N. and Loret, B. (2001) *An elasto-plastic model for non-isothermal analysis of flow and deformation in unsaturated porous media: formulation*, International Journal of Solids and Structures, Vol. 38, No. 46-47, pp. 8305-8330.

Kim, H., Annable, M.D. and Rao, P.S.C. (2001) *Gaseous transport of volatile organic chemicals in unsaturated porous media: Effect of water-partitioning and air-water interfacial adsorption*, Environmental Science & Technology, Vol. 35, No. 22, pp. 4457-4462.

Knight, M.A. and Kotha, S.M. (2001) *Measurement of geotextile-water characteristic curves using a controlled outflow capillary pressure cell*, Geosynthetics International, Vol. 8, No. 3, pp. 271-282.

Kohler, A., Abbaspour, K.C., Fritsch, M., van Genuchten, M.T. and Schulin, R. (2001) *Simulating unsaturated flow and transport in a macroporous soil to tile drains subject to an entrance head: model development and preliminary evaluation*, Journal of Hydrology, Vol. 254, No. 1-4, pp. 67-81.

Köhler, H.-J. and Koenders, M.A. (2001) *Direct visualisation of underwater phenomena in soil-fluid interaction*, Journal of Hydraulic Research, (IAHR).

Leconte, R. and Brissette, F.P. (2001) *Soil moisture profile model for two-layered soil based on sharp wetting front approach*, Journal of Hydrologic Engineering, Vol. 6, No. 2, pp. 141-149.

Mulqueen, J. and Rodgers, M. (2001) *Percolation testing and hydraulic conductivity of soils for percolation areas*, Water Research, Vol. 35, No. 16, pp. 3909-3915.

Nemes, A., Schaap, M.G., Leij, F.J. and Wosten, J.H.M. (2001) *Description of the unsaturated soil hydraulic database UNSODA version 2.0*, Journal of Hydrology, Vol. 251, No. 3-4, pp. 151-162.

Ng, C.W.W. and Chiu, A.C.F. (2001) *Behavior of a loosely compacted unsaturated volcanic soil*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 127, No. 12, pp. 1027-1036.

Ng, C.W.W., Wang, B. and Tung, Y.K. (2001) *Three-dimensional numerical investigations of groundwater responses in an unsaturated slope subjected to various rainfall patterns*, Canadian Geotechnical Journal, Vol. 38, No. 5, pp. 1049-1062.

Nicolodi, F., Borroni, M and Mandelli, C. (2001) *Valutazione della permeabilità verticale, tramite prove infiltrometriche, nell'area brianzola (in italian)*, Brianze, Vol. 14, pp. 15-20.

Olson, M.S., Tillman, F.D., Choi, J.W. and Smith, J.A. (2001) *Comparison of three techniques to measure unsaturated-zone air permeability at Picatinny Arsenal, NJ*, Journal of Contaminant Hydrology, Vol. 53, No. 1-2, pp. 1-19.

Rahardjo, H., Li, X. W., Toll, D. G. and Leong, E. C. (2001) *The effect of antecedent rainfall on slope stability*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 371-399.

Reddy, G.B. (2001) *Analysis of heat transfer characteristics of an unsaturated soil bed: a simplified numerical method*, International Journal of Energy Research, Vol. 25, No. 15, pp. 1333-1344.

Rohlf, R.A. and Wells, L.G. (2001) *Determining matric stress with the modified Cam clay energy relationship*, Transactions of ASAE, Vol. 44, No. 5, pp. 1047-1057.

- Romero, E., Gens, A. and Lloret, A. (2001) *Temperature effects on the hydraulic behaviour of an unsaturated clay*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 311-332.
- Shin, E.C. and Das, B.M. (2001) *Bearing capacity of unsaturated oil-contaminated sand*, International Journal of Offshore and Polar Engineering, Vol. 11, No. 3, pp. 220-226.
- Sillers, W. S., Fredlund, D.G. and Zakerzadeh, N. (2001) *Mathematical attributes of some soil-water characteristic curve models*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 243-283.
- Sills, G.C. and Gonzalez, R. (2001) *Consolidation of naturally gassy soft soil*, Géotechnique, Vol. 51, No. 7, pp. 629-639.
- Simms, P.H. and Yanful, E.K. (2001) *Measurement and estimation of pore shrinkage and pore distribution in a clayey till during soil-water characteristic curve tests*, Canadian Geotechnical Journal, Vol. 38, No. 4, pp. 741-754.
- Singh, D.N., Kuriyan, S.J. and Madhuri, V. (2001) *Application of a geotechnical centrifuge for estimation of unsaturated soil hydraulic conductivity*, Journal of Testing and Evaluation, Vol. 29, No. 6, pp. 556-562.
- Smiles, D.E. (2001) *Chemical reaction and CO₂-induced retardation in unsteady, unsaturated soil water flow: the effect of clay content*, Australian Journal of Soil Research, Vol. 39, No. 5, pp. 1059-1075.
- Stewart, D.I., Tay, Y.Y. and Cousens, T.W. (2001) *The strength of unsaturated bentonite-enhanced sand*, Géotechnique, Vol. 51, No. 9, pp. 767-775.
- Taigbenu, A.E. (2001) *Simulations of unsaturated flow in multiply zoned media by Green element models*, Transport in Porous Media, Vol. 45, No. 3, pp. 387-406.
- Tarantino, A. and Mongiovi, L. (2001) *Experimental procedures and cavitation mechanisms in tensiometer measurements*, Geotechnical and Geological Engineering, Special Issue on Unsaturated Soils, Vol. 19, No. 3-4, pp. 189-210.
- Toll, D.G. (2001) *Rainfall-induced Landslides in Singapore*, Proc. Institution of Civil Engineers - Geotechnical Engineering, Vol. 149, No. 4, pp. 211-216.
- Weerts, A.H., Kandhai, D., Bouten, W. and Sloot, P.M.A. (2001) *Tortuosity of an unsaturated sandy soil estimated using gas diffusion and bulk soil electrical conductivity: Comparing analogy-based models and lattice-Boltzmann simulations*, Soil Science Society of America Journal, Vol. 65, No. 6, pp. 1577-1584.
- Wong, J.C., Rahardjo, H., Toll, D.G. and Leong, E.C. (2001) *Modified Triaxial Apparatus for Shearing-Infiltration Tests*, ASTM Journal of Geotechnical Testing, Vol. 24, No. 4, pp. 370-380.

Chiu, T.-F. and Shackelford, C. D. (2000) *Laboratory evaluation of sand underdrains*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 126, No. 11, pp. 990-1001.

Choo, L.P. and Yanful, E.K. (2000) *Water Flow through Cover Soils using Modeling and Experimental Methods*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 126, No. 4, pp. 324-334.

Cokca, E (2000) *Comparison of Suction and Oedometer Methods for the Measurement of Swell Pressure*, Quarterly Journal of Engineering Geology and Hydrogeology, Vol. 33, No. 2, pp. 141-147.

Doran, I.G., Sivakumar, V., Graham, J. and Johnson, A. (2000) *Estimation of In Situ Stresses Using Anisotropic Elasticity and Suction Measurements*, Géotechnique, Vol. 50, No. 2, pp. 189-196.

Kouassi, P., Breyse, D., Girard, H. and Poulain, D. (2000) *A new technique of kneading compaction in the laboratory*, Geotechnical Testing Journal, ASTM, Vol. 23, No. 1, pp. 72-82.

Li, X.K., Wu, W.H. and Cescotto, S. (2000) *Contaminant Transport with Non-Equilibrium Processes in Unsaturated Soils and Implicit Characteristic Galerkin Scheme*, Int. Journal for Numerical and Analytical Methods in Geomechanics, Vol. 24, No. 3, pp. 219-243.

Ng, C.W.W. and Pang, Y.W. (2000) *Experimental investigation of soil-water characteristics of a volcanic soil*, Canadian Geotechnical Journal, Vol. 37, No. 6, pp. 1252-1264.

Ng, C.W.W. and Pang, Y.W. (2000) *Influence of stress state on soil-water characteristics and slope stability*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 126, No. 2, pp. 157-166.

Rassam, D.W. and Williams, D.J. (2000) *A dynamic method for determining the soil water characteristic curve for coarse-grained soils*, Geotechnical Testing Journal, ASTM, Vol. 23, No. 1, pp. 67-71.

Simmonds, L.P., Burke, E.J., Pearson, D. and Gurney, R.J. (2000) *Passive Microwave Remote Sensing of Soil Moisture*, Aspects of Applied Biology, Vol. 60, pp. 107-114.

Tang, G.X. and Graham, J. (2000) *A Method for Testing Tensile Strength in Unsaturated Soils*, Geotechnical Testing Journal, ASTM, Vol. 23, No. 3, pp. 377-382.

Tarantino, A., Mongiovì, L. and Bosco, G. (2000) *An experimental investigation on the independent isotropic stress variables for unsaturated soils*, Géotechnique, Vol. 50, No. 3, pp. 275-282.

1999

AlMukhtar, M., Qi, Y., Alcover, J.F. and Bergaya, F. (1999) *Oedometric and Water-Retention Behaviour of Highly Compacted Unsaturated Smectites*, Canadian Geotechnical Journal, Vol. 36, No. 4, pp. 675-684.

Alonso, E.E., Vaunat, J. and Gens, A. (1999) *Modelling the Mechanical Behaviour of Expansive Clays*, Engineering Geology, Vol. 54, No. 1-2, pp. 173-183.

- Ausilio, E. and Conte, E. (1999) *Settlement Rate of Foundations on Unsaturated Soils*, Canadian Geotechnical Journal, Vol. 36, No. 5, pp. 940-946.
- Chen, Z.H., Fredlund, D.G. and Gan, J.K.M. (1999) *Overall Volume Change, Water Volume Change, and Yield Associated with an Unsaturated Compacted Loess*, Canadian Geotechnical Journal, Vol. 36, No. 2, pp. 321-329.
- Eigenbrod, K.D. and Kaluza, D. (1999) *Shallow Slope Failures in Clays as a Result of Decreased Evapotranspiration Subsequent to Forest Clearing*, Canadian Geotechnical Journal, Vol. 36, No. 1, pp. 111-118.
- Esposito, G., Allersma, H.G.B. and Selvadurai, A.P.S. (1999) *Centrifuge Modeling of LNAPL Transport in Partially Saturated Sand*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 125, No. 12, pp. 1066-1071.
- Fityus, S.G., Smith, D.W. and Booker, J.R. (1999) *Contaminant Transport through an Unsaturated Soil Liner beneath a Landfill*, Canadian Geotechnical Journal, Vol. 36, No. 2, pp. 330-354.
- Gasmo, J.M., Hritzuk, K.J., Rahardjo, H. and Leong, E.C. (1999) *Instrumentation of an Unsaturated Residual Soil Slope*, Geotechnical Testing Journal, ASTM, Vol. 22, No. 2, pp. 134-143.
- Griffioen, J.W. and Barry, D.A. (1999) *Centrifuge Modeling of Unstable Infiltration and Solute Transport*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 125, No. 7, pp. 556-565.
- Grozic, J.L., Robertson, P.K. and Morgenstern, N.R. (1999) *The Behavior of Loose Gassy Sand*, Canadian Geotechnical Journal, Vol. 36, No. 3, pp. 482-492.
- Guan, Y. and Fredlund, D.G. (1999) *Use of the Tensile Strength of Water for the Direct Measurement of High Soil Suction: Reply*, Canadian Geotechnical Journal, Vol. 36, No. 1, pp. 181.
- Hanafy, E.A.D.E. (1999) *Relative Moisture and Moisture Deficiency of Desiccated Expansive Cohesive Soil Deposits*, Geotechnical Testing Journal, ASTM, Vol. 22, No. 4, pp. 334-341.
- Horseman, S.T., Harrington, J.F. and Sellin, P. (1999) *Gas Migration in Clay Barriers*, Engineering Geology, Vol. 54, No. 1-2, pp. 139-149.
- Hutter, K., Laloui, L. and Vulliet, L. (1999) *Thermodynamically based mixture models of saturated and unsaturated soils*, Journal of Mechanics of Cohesive - Frictional Materials, Vol. 4, pp. 295-338.
- Khire, M.V., Benson, C.H. and Bosscher, P.J. (1999) *Field Data from a Capillary Barrier and Model Predictions with UNSAT-H*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 125, No. 6, pp. 518-527.
- Leong, E.C. and Rahardjo, H. (1999) *Soil-Water Characteristic Curves for Compacted Clays - Discussion*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 125, No. 7, pp. 629.

- McDougall, J., Ng, C.W.W. and Shi, Q. (1999) *Discussion of 'Influence of Rainfall Intensity and Duration on Slope Stability in Unsaturated Soils' by C. W. W. Ng & Q. Shi* (*Quarterly Journal of Engineering Geology*, 31, 105-114), *Quarterly Journal of Engineering Geology*, Vol. 3, No. 303.
- Meyer, P.D. and Gee, G.W. (1999) *Flux-Based Estimation of Field Capacity*, *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 125, No. 7, pp. 595-599.
- Morris, C.E. and Stormont, J.C. (1999) *Parametric Study of Unsaturated Drainage Layers in a Capillary Barrier*, *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 125, No. 12, pp. 1057-1065.
- Muraleetharan, K.K. and Granger, K.K. (1999) *The use of Miniature Pore Pressure Transducers in measuring Matric Suction in Unsaturated Soils*, *Geotechnical Testing Journal*, ASTM, Vol. 22, No. 3, pp. 226-234.
- Nishimura, T., Hirabayashi, Y., Fredlund, D.G. and Gan, J.K.M. (1999) *Influence of Stress History on the Strength Parameters of an Unsaturated Statically Compacted Soil*, *Canadian Geotechnical Journal*, Vol. 36, No. 2, pp. 251-261.
- Rampino, C., Mancuso, C. and Vinale, F. (1999) *Laboratory Testing on an Unsaturated Soil: Equipment, Procedures and 1st Experimental Results*, *Canadian Geotechnical Journal*, Vol. 36, No. 1, pp. 1-12.
- Rassam, D.W. and Williams, D.J. (1999) *A Relationship Describing the Shear Strength of Unsaturated Soils*, *Canadian Geotechnical Journal*, Vol. 36, No. 2, pp. 363-368.
- Rassam, D.W. and Williams, D.J. (1999) *Unsaturated Hydraulic Conductivity of Mine Tailings under Wetting and Drying Conditions*, *Geotechnical Testing Journal*, ASTM, Vol. 22, No. 2, pp. 144-152.
- Ridley, A.M. and Burland, J.B. (1999) *Use of the Tensile Strength of Water for the Direct Measurement of High Soil Suction: Discussion*, *Canadian Geotechnical Journal*, Vol. 36, No. 1, pp. 178-180.
- Romero, E., Gens, A. and Lloret, A. (1999) *Water Permeability, Water Retention and Microstructure of Unsaturated Compacted Boom Clay*, *Engineering Geology*, Vol. 54, No. 1-2, pp. 117-127.
- Thomas, H.R. and Cleall, P.J. (1999) *Inclusion of Expansive Clay Behaviour in Coupled Thermo Hydraulic Mechanical Models*, *Engineering Geology*, Vol. 54, No. 1-2, pp. 93-108.
- Tinjum, J.M., Benson, C.H. and Blotz, L.R. (1999) *Soil-Water Characteristic Curves for Compacted Clays - Closure by James M. Tinjum, Craig H. Benson, and Lisa R. Blotz, Members, ASCE*, *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, Vol. 125, No. 7, pp. 630.
- Vanapalli, S.K., Fredlund, D.G., Pufahl, D.E. (1999) *The Influence of Soil Structure and Stress History on the Soil-Water Characteristics of a Compacted Till*, *Géotechnique*, Vol. 49, No. 2, pp. 143-159.
- Villar, M.V. (1999) *Investigation of the Behaviour of Bentonite by Means of Suction-Controlled Oedometer Tests*, *Engineering Geology*, Vol. 54, No. 1-2, pp. 67-73.

Yong, R.N. (1999) *Soil Suction and Soil-Water Potentials in Swelling Clays in Engineered Clay Barriers*, Engineering Geology, Vol. 54, No. 1-2, pp. 3-13.

1998

Adams, B.A. and Wulfsohn, D. (1998) *Critical-State Behaviour of an Agricultural Soil*, Journal of Agricultural Engineering Research, Vol. 70, No. 4, pp. 345-354.

Alimiichola, I. (1998) *Use of Time Domain Reflectometry Probes for Monitoring Unsaturated Soil Pollution*, Environmental Geotechnics, Vol. 1-4, No. 186, pp. 107-112.

Barbour, S.L. (1998) *Nineteenth Canadian Geotechnical Colloquium: The Soil-Water Characteristic Curve: a Historical Perspective*, Canadian Geotechnical Journal, Vol. 35, No. 5, pp. 873-894.

Basha, H.A. and Selvadurai, A.P.S. (1998) *Heat-Induced Moisture Transport in the Vicinity of a Spherical Heat Source*, Int. Journal for Numerical and Analytical Methods in Geomechanics, Vol. 22, No. 12, pp. 969-981.

Chen, S.C. (1998) *Estimating the Hydraulic Conductivity and Diffusivity in Unsaturated Porous Media by Fractal Capillary Model*, Journal Chinese Institute of Engineers, Vol. 21, No. 4, pp. 449-458.

Delage, P., Howat, M.D. and Cui, Y.J. (1998) *The Relationship Between Suction and Swelling Properties in a Heavily Compacted Unsaturated Clay*, Engineering Geology, Vol. 50, No. 1/2, pp. 31-48.

Deshpande, S. and Muraleetharan, K.K. (1998) *Dynamic Behavior of Unsaturated Soil Embankments*, Geotechnical Earthquake Engineering and Soil Dynamics III, Vols. 1 and 2, Vol. 116, No. 75, pp. 890-901.

Garnier, P., Perrier, E., Bellier, G. and Rieu, M. (1998) *Modelling Water Flow in Unsaturated Swelling Soil Samples*, Bulletin de la Societe Geologique de France, Vol. 169, No. 4, pp. 589-593.

Hinz, C., Sinke, A.J.C., Martins, J.M. and Fluhler, H. (1998) *Transport of Organic Pollutants in Unsaturated Soil - Preface and Overview*, Journal of Contaminant Hydrology, Vol. 33, No. 1/2, pp. 1-3.

Huang, S.Y., Barbour, S.L. and Fredlund, D.G. (1998) *Development and Verification of a Coefficient of Permeability Function for a Deformable Unsaturated Soil*, Canadian Geotechnical Journal, Vol. 35, No. 3, pp. 411-425.

Huang, S.Y., Fredlund, D.G. and Barbour, S.L. (1998) *Measurement of the Coefficient of Permeability for a Deformable Unsaturated Soil using a Triaxial Permeameter*, Canadian Geotechnical Journal, Vol. 35, No. 3, pp. 426-432.

Khalili, N. and Khabbaz, M.H. (1998) *A Unique Relationship for χ for the Determination of the Shear Strength of Unsaturated Soils*, Géotechnique, Vol. 48, No. 5, pp. 681-687.

Kim, M.H. and O'Neill, M.W. (1998) *Side Shear Induced in Drilled Shaft by Suction Change*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 124, No. 8, pp. 771-780.

- Lim, P.C., Barbour, S.L., Fredlund, D.G. (1998) *The Influence of Degree of Saturation on the Coefficient of Aqueous Diffusion*, Canadian Geotechnical Journal, Vol. 35, No. 5, pp. 811-827.
- McDougall, J.R. and Pyrah, I.C. (1998) *Simulating Transient Infiltration in Unsaturated Soils*, Canadian Geotechnical Journal, Vol. 35, No. 6, pp. 1093-1100.
- Newson, T.A. and Fahey, M. (1998) *The Effect of Soil Suction on Evaporative Fluxes from Soil Surfaces: Discussion*, Canadian Geotechnical Journal, Vol. 35, No. 4, pp. 692-694.
- Ng, C.W.W. and Shi, Q. (1998) *A Numerical Investigation of the Stability of Unsaturated Soil Slopes subjected to Transient Seepage*, Computers and Geotechnics, Vol. 22, No. 1, pp. 1-28.
- Poulsen, T.G., Moldrup, P. and Jacobsen, O.H. (1998) *One-Parameter Models for Unsaturated Hydraulic Conductivity*, Soil Science, Vol. 163, No. 6, pp. 425-435.
- Simunek, J., van Genuchten, M.T., Gribb, M.M. and Hopmans, J.W. (1998) *Parameter Estimation of Unsaturated Soil Hydraulic Properties from Transient Flow Processes*, Soil & Tillage Research, Vol. 1-2, No. 47, pp. 27-36.
- Simunek, J., Wendroth, O. and van Genuchten, M.T. (1998) *Parameter Estimation Analysis of the Evaporation Method for determining Soil Hydraulic Properties*, Soil Science Society of America Journal, Vol. 62, No. 4, pp. 894-905.
- Sridharan, A. and Prakash, K. (1998) *Mechanism controlling the Shrinkage Limit of Soils*, Geotechnical Testing Journal, ASTM, Vol. 21, No. 3, pp. 240-250.
- Thomas, H.R. and He, Y. (1998) *Modelling the Behaviour of Unsaturated Soil using an Elastoplastic Constitutive Model*, Géotechnique, Vol. 48, No. 5, pp. 589-603.
- Thomas, H.R., He, Y. and Onofrei, C. (1998) *An Examination of the Validation of a Model of the Hydro/Thermo/Mechanical Behaviour of Engineered Clay Barriers*, Int. Journal for Numerical and Analytical Methods in Geomechanics, Vol. 22, No. 1, pp. 49-71.
- Thomas, H.R., Rees, S.W. and Sloper, N.J. (1998) *Three-Dimensional Heat, Moisture and Air Transfer in Unsaturated Soils*, Int. Journal for Numerical and Analytical Methods in Geomechanics, Vol. 22, No. 2, pp. 75-95.
- Thomas, H.R., Yang, H.T., He, Y. and Jefferson, A.D. (1998) *Solving Coupled Thermo-Hydro-Mechanical Problems in Unsaturated Soil using a Substructuring-Frontal Technique*, Communications in Numerical Methods in Engineering, Vol. 14, No. 8, pp. 783-792.
- Timlin, D. and Pachepsky, Y. (1998) *Measurement of Unsaturated Soil Hydraulic Conductivities using a Ceramic Cup Tensiometer*, Soil Science, Vol. 163, No. 8, pp. 625-635.
- Wei, C.F. and Muraleetharan, K.K. (1998) *Thermodynamic Basis for the use of Two Independent Stress State Variables in Unsaturated Soil Mechanics*, Poromechanics, Vol. 106, pp. 165-170.

Wiebe, B., Graham, J., Tang, G.X.M. and Dixon, D. (1998) *Influence of Pressure, Saturation, and Temperature on the Behaviour of Unsaturated Sand-Bentonite*, Canadian Geotechnical Journal, Vol. 35, No. 2, pp. 194-205.

Wong, T.T., Fredlund, D.G. and Krahn, J. (1998) *A Numerical Study of Coupled Consolidation in Unsaturated Soils*, Canadian Geotechnical Journal, Vol. 35, No. 6, pp. 926-937.

Wulfsohn, D., Adams, B.A. and Fredlund, D.G. (1998) *Triaxial Testing of Unsaturated Agricultural Soils*, Journal of Agricultural Engineering Research, Vol. 69, No. 4, pp. 317-330.

Yang, D.Q., Rahardjo, H., Leong, E.C. and Choa, V. (1998) *A Coupled Model for Heat, Moisture, Air Flow and Deformation in Unsaturated Soils*, Journal of Engineering Mechanics, ASCE, Vol. 124, No. 12, pp. 1331-1338.

Yang, D.Q., Rahardjo, H., Leong, E.C. and Choa, V. (1998) *Verifications and Applications of Coupled Model for Unsaturated Soils*, Journal of Engineering Mechanics, ASCE.

1997

Adams, B.A. and Wulfsohn, D. (1997) *Variation of the Critical-State Boundaries of an Agricultural Soil*, European Journal of Soil Science, Vol. 48, No. 4, pp. 739-748.

Aytekin, M. (1997) *Numerical Modeling of EPS Geof foam used with Swelling soil*, Geotextiles and Geomembranes, Vol. 15, pp. 133-146.

Chiu, T.-F. and Shackelford, C. D. (1997) *Unsaturated hydraulic conductivity of compacted sand-kaolin mixtures*, Journal of Geotechnical and Geoenvironmental Engineering, ASCE, Vol. 124, No. 2, pp. 160-170.

Fityus, S. And Smith, D.W. (1997) *Contaminant Transport Analysis through Unsaturated Soil beneath a Landfill Accounting for Moisture Dependent Transport Parameters*, Environmental Geotechnics, Vol. 70, pp. 373-380.

Gatmiri, B., Delage, P. and Cerrolaza, M. (1997) *U-Dam : A Powerful Finite Element Software for the Analysis of Unsaturated Porous Media*, Advances in Engineering Software, Vol. 29, No. 1, pp. 29-43.

Kohgo Y. (1997) *Method of Analysis of Saturated Collapse Behavior*, JIRCAS Journal, Vol. 4, pp. 1-28.

Leong, E.C. and Rahardjo, H. (1997) *Permeability Functions for Unsaturated Soils*, Journal of Geotechnical Engineering, ASCE, Vol. 123, No. 12, pp. 1118-1126.

Schaefer, C.E., Arands, R.R., van der Sloot, H.A. and Kosson, D.S. (1997) *Modeling of the Gaseous Diffusion Coefficient through Unsaturated Soil Systems*, Journal of Contaminant Hydrology, Vol. 29, No. 1, pp. 1-21.

Thomas, H.R. (1997) *On the Validation of a Model of Coupled Heat and Moisture Transfer in Unsaturated Soil*, Numerical Models in Geomechanics (NUMOG VI), Vol. 117, pp. 283-289.

Thomas, H.R. and He, Y. (1997) *Computational Modeling the Behavior of Unsaturated Soil using an Elastoplastic Approach*, Computational Plasticity: Fundamentals and Applications, Pts 1 and 2, Vol. 263, pp. 1737-1744.

Thomas, H.R., Yang, H.T. and He, Y. (1997) *Coupled Thermo-Hydro-Mechanical Analysis of Unsaturated Soil- Implementation in a Parallel Computing Environment*, Computer Methods and Advances in Geomechanics, Vol. 2, pp. 1107-1112.

1996

Cui, Y.J. and Delage, P. (1996) *Yielding and Plastic Behaviour of an Unsaturated Compacted Silt*, Géotechnique, Vol. 46, No. 2, pp. 291-311.

Delage, P., Audiguier, M., Cui, Y.J. and Howat, M.D. (1996) *Microstructure of a Compacted Silt*, Canadian Geotechnical Journal, Vol. 33, No. 1, pp. 150-158.

Lim, T.T., Rahardjo, H., Chang, M.F. and Fredlund, D.G. (1996) *Effect of Rainfall on Matric Suctions in a Residual Soil Slope*, Canadian Geotechnical Journal, Vol. 33, pp. 618-628.

1995

Al-Homoud, A.S., Basma, A.A., Husein Malkawi, A.I. and Al-Bashabasheh, M.A. (1995) *Cyclic swelling behavior of clays*, Journal of Geotechnical Engineering, ASCE, Vol. 121, No. 7, pp. 562-565.

Kohgo Y., Nakano, M. and Miyazaki, T. (1995) *Closure- Verification of the Generalized Elastoplastic Model for Unsaturated Soils*, Soils and Foundations, Vol. 35, No. 1, pp. 173-174.

Maâtouk, A., Leroueil, S. and La Rochelle, P. (1995) *Yielding and critical state of a collapsible unsaturated silty soil*, Géotechnique, Vol. 45, No. 3, pp. 465-477.

Pachepsky, Y. A., Shcherbakov, R.A., and Korusunkaya, L.P. (1995) *Scaling of soil water retention using a fractal model*, Soil Science, Vol. 159, No. 2, pp. 99-104.

Rahardjo, H., Lim, T.T., Chang, M.F. and Fredlund, D.G. (1995) *Shear Strength Characteristics of a Residual Soil*, Canadian Geotechnical Journal, Vol. 32, pp. 60-77.

Sills, B. and Mitchell, R. (1995) *A New Method for Studying Diffusion in Unsaturated Soil*, Geotechnical Special Publication, Vol. 118, No. 46, pp. 346-354.

Thomas, H.R. and Li, C.L.W. (1995) *A Numerical-Solution of Coupled Heat and Moisture Transfer in Unsaturated Soil on a Parallel Supercomputer*, Numerical Models in Geomechanics, Vol. 109, pp. 391-396.

Vanapalli, S.K., Pufahl, D.E., and Fredlund, D.G. (1995) *A rational approach for the design of forest slopes*, Canadian Geotechnical Conference, Vancouver.

Wheeler, S.J. and Sivakumar, V. (1995) *An Elasto-Plastic Critical State Framework for Unsaturated Soil*, Géotechnique, Vol. 45, pp. 35-53.

1994

Barbour S.L. and Yanful, E.K. (1994) *A Column Study of Static Nonequilibrium Fluid Pressures in Sand During Prolonged Drainage*, Canadian Geotechnical Journal, Vol. 31, pp. 299-303.

Chatterjea, K. (1994) *Dynamics of Fluvial and Slope Processes in the Changing Geomorphic Environment of Singapore*, Earth Surface Processes and Landforms, Vol. 19, pp. 585-607.

Di Pietro, L.B., and Melayah, A. (1994) *Modeling water infiltration in unsaturated porous media by interacting lattice gas-cellular automata*, Water Resources Research, Vol. 30, No. 10, pp. 2785-2792.

Fredlund, D.G. and Xing, A. (1994) *Equations for the soil-water characteristic curve*, Canadian Geotechnical Journal, Vol. 31, No. 3, pp. 521-532.

Fredlund, D.G., Xing, A. and Huang, S. (1994) *Predicting the permeability function for unsaturated soil using the soil-water characteristic curve*, Canadian Geotechnical Journal, Vol. 31, No. 3, pp. 533-546.

Horn, R., Taubner, H., Wutke, M., and Baumgartl. (1994) *Soil physical properties related to soil structure*, Soil and Tillage Research, Vol. 30, pp. 187-216.

Ksiazynski, K.W. (1994) *The Piston Model of Transient Infiltration in Unsaturated Soil*, Groundwater Quality Management, Vol. 46, No. 220, pp. 141-148.

Marion, J.M., Or, D., Rolston, D.E., Kavvas, M.L., and Biggar, J.W. (1994) *Evaluation of methods for determining soil-water retentivity and unsaturated hydraulic conductivity*, Soil Science, Vol. 158, pp. 1-.

Quisenberry, V.L., Phillips, R.E., and Zelezink. (1994) *Spatial distribution of water and chloride macropore flow in a well-structured soil*, Soil Science Society of America Journal, Vol. 58, pp. 1284-1300.

Salehzadeh, A., and Desmond, A.H. (1994) *Apparatus for the rapid automated measurement of unsaturated soil transport properties*, Water Resources Research, Vol. 30, No. 10, pp. 2679-2690.

Steele, D.D. and Nieber, J.L. (1994) *Network modelling of diffusion coefficients for porous media: I. Theory and Model Development*, Soil Science Society of America Journal, Vol. 58, pp. 1337-1345.

Steele, D.D. and Nieber, J.L. (1994) *Network modelling of diffusion coefficients for porous media: II. Simulations*, Soil Science Society of America Journal, Vol. 58, pp. 1346-1354.

Stolte, J., Freijer, J.I., Bouten, W., Dirksen, C. Halbetsma, J.M., Van Dam, J.C., Van den Berg, J.A., Veerman, G.J., and Wosten, J.H.M. (1994) *Comparison of six methods to determine unsaturated soil hydraulic conductivity*, Soil Science Society of America Journal, Vol. 58, pp. 1596-1603.

Thomas, H.R. and Li, C.L.W. (1994) *A Parallel Computing Simulation of some Experimental Results of Heat and Moisture Transfer in Unsaturated Soil*, Numerical Methods in Geotechnical Engineering, No. 62, pp. 187-192.

Zhang, R. and van Genuchten, M.Th. (1994) *New models for unsaturated soil hydraulic properties*, Soil Science, Vol. 2, No. 77-85.

1993

Abduljawwad, S.N. and Al-Sulaimani, G.J. (1993) *Determination of swell potential of Al-Qatif clay*, Geotechnical testing journal, ASTM, Vol. 16, No. 4, pp. 469-484.

Barbour S.L., Wilson, G.W., and St-Arnaud, L.C. (1993) *Evaluation of the saturated-unsaturated groundwater conditions at a thickened tailings deposit*, Canadian Geotechnical Journal, Vol. 30, pp. 935-946.

Fleureau, J.M., Kheirbek-Saoud, S., Soemitro, R. and Taibi, S. (1993) *Behavior of Clayey Soils on Drying-Wetting Paths*, Can. Geotech. Journal, Vol. 30, pp. 287-296.

Gunnink, B.W., and El-Jayyousi, J. (1993) *Soil-fabric measurement using phase transition porosimetry*, Journal of Geotechnical Engineering, Vol. 119, pp. 1019-1036.

Kohgo Y., Nakano M. and Miyazaki, T. (1993) *Theoretical Aspects of Constitutive Modelling for Unsaturated Soils*, Soils and Foundations, Vol. 33, No. 4, pp. 49-63.

Kohgo Y., Nakano M. and Miyazaki, T. (1993) *Verification of the Generalized Elastoplastic Model for Unsaturated Soils*, Soils and Foundations, Vol. 33, No. 4, pp. 64-73.

Ridley, A.M. and Burland, J.B. (1993) *A New Instrument for the Measurement of Soil Moisture Suction*, Géotechnique, Vol. 43, No. 2, pp. 321-324.

Rubin, Y. and Or, D. (1993) *Stochastic Modeling of Unsaturated Flow in Heterogeneous Soils with Water Uptake by Plant Roots: The parallel Columns Model*, Water Resources Research, Vol. 29, No. 3, pp. 619-631.

Thomas, H.R. and He, Y. (1993) *Thermoplastic Analysis of Unsaturated Soil*, Numerical Methods in Thermal Problems, Vol. VIII, No. 140, pp. 905-916.

1992

Bumb, A.C., Murphy, C.L., and Everett, L.G. (1992) *A comparison of three functional forms for representing soil moisture characteristics*, Groundwater, Vol. 30, No. 2, pp. 177-185.

Fuentes, C. R. Haverkamp, and Parlange, J-Y. (1992) *Parameter constraints on closed-form soil water relationships*, Journal of Hydrology, Vol. 134, pp. 177-142.

Gens, A. and Alonso, E.E. (1992) *A Framework for the Behaviour of Unsaturated Expansive Clays*, Canadian Geotechnical Journal, Vol. 29, No. 6, pp. 1013-1032.

Morris, P.H., Graham, J. and Williams, D.J. (1992) *Cracking in Drying Soils*, Canadian Geotechnical Journal, Vol. 29, No. 2, pp. 263-277.

Toorman, A.F. Wierenga and R.G. Hills, P.J. (1992) *Parameter Estimation of Hydraulic Properties From One-Step Outflow Data*, Water Resources Research, Vol. 28, No. 11, pp. 3021-3028.

Williams, R.D., Ahuja, L.R., and Naney, J.W. (1992) *Comparison of methods to estimate soil water characteristics from texture, bulk density, and limited data*, Soil Science, Vol. 153, pp. 172-184.

1991

Ahuja, L.R. and Williams, R.D. (1991) *Scaling water characteristic and hydraulic conductivity based on Gregson-Hector-McGowan Approach*, Soil Science Society of America Journal, Vol. 55, pp. 308-319.

Akindunni, F.F., Gillham, R.W., and Nicholson, R.V. (1991) *Numerical Simulations to Investigate Moisture-Retention Characteristics in the Design of Oxygen-Limiting Covers for Reactive Mine Tailings*, Canadian Geotechnical Journal, Vol. 28, pp. 446-451.

Anderson, M.G. and Lloyd, D.M. (1991) *Using a Combined Slope Hydrology Stability Model to Develop Cut Slope Design Charts*, Proc. Institution of Civil Engineers Part 2 - Research and Theory, Vol. 91, pp. 705-718.

Ross, P.J. Williams, J. and Bristow, K.L. (1991) *Equation for extending water-retention curves to dryness*, Soil Science Society America Journal, Vol. 55, pp. 923-927.

Toll, D.G. (1991) *Towards Understanding the Behaviour of Naturally-Occurring Road Construction Materials*, Geotechnical and Geological Engineering, Vol. 9, No. 3/4, pp. 197-217.

Yoshida, Y., Kuwano, J. and Kuwano, R. (1991) *Effects of Saturation on Shear Strength of Soils*, Soils and Foundations, Vol. 31, No. 1, pp. 181-186.

Yoshida, Y., Kuwano, J. and Kuwano, R. (1991) *Rain-Induced Slope Failures caused by Reduction in Soil Strength*, Soils and Foundations, Vol. 31, No. 4, pp. 187-193.

1990

Alonso, E.E, Gens, A. and Josa, A. (1990) *A Constitutive Model for Partially Saturated Soils*, Géotechnique, Vol. 40, pp. 405-430.

Anderson, M.G, Kemp, M.J, Lloyd, D.M. and Othman, A. (1990) *Design and Installation of a Combined Automatic Tensiometer- Piezometer System*, Earth Surface Processes and Landforms, Vol. 15, No. 1, pp. 63-71.

Barbour, S.L. (1990) *Reduction of acid generation in mine tailings through the use of moisture-retaining cover layers as oxygen barriers: Discussion*, Canadian Geotechnical Journal, Vol. 27, pp. 398-401.

Jarvis, N.J., and Leeds-Harrison, P.B. (1990) *Field test of a water balance model of cracking clay soils*, Journal of Hydrology, Vol. 112, pp. 203-218.

Nicholson, R.V., Gillham, R.W., Cherry, J.A., and Reardon, E.J. (1990) *Reduction of acid generation through the use of moisture-retaining cover layers as oxygen barriers: Reply*, Canadian Geotechnical Journal, Vol. 27, pp. 402-403.

Toll, D.G. (1990) *A Framework for Unsaturated Soil Behaviour*, Géotechnique, Vol. 40, No. 1, pp. 31-44.

1989

Black, P.B. and Tice, A.R. (1989) *Comparison of soil freezing curve and soil water curve data for Windsor Sandy Loam*, Water Resources Research, Vol. 25, No. 10, pp. 2205-2210.

Krahn, J., Fredlund, D.G. and Klassen, J. (1989) *Effect of Soil Suction on Slope Stability at Notch Hill*, Canadian Geotechnical Journal, Vol. 26, No. 2, pp. 269-278.

1988

Biarez, J., Fleureau, J.M., Zerhouni, M.I. and Soepandji, B.D. (1988) *Variations de Volume des Sols Argileux Lors de Cycles de Drainage-Humidification*, Revue Francaise de Géotechnique, Vol. 41, pp. 63-71.

Dasog, G.S., Acton, D.F., Mermut, A.R., and de Jong, E. (1988) *Shrink-swell potential and cracking in clay soils of Saskatchewan*, Journal of Soil Science, Vol. 68, pp. 251-260.

Escario, V. (1988) *Formulaciones para la definición de la resistencia a esfuerzo cortante de los suelos parcialmente saturados*, Boll. Soc. Esp. Mec. Suelos y Cim., Vol. 92, pp. 3-12.

Gan, J.K.M., Fredlund, D.G. and Rahardjo, H. (1988) *Determination of the Shear Strength Parameters of an Unsaturated Soil using the Direct Shear Test*, Canadian Geotechnical Journal, Vol. 25, No. 3, pp. 500-510.

Nimmo, J. R. and Akstin, K. C. (1988) *Hydraulic conductivity of a sandy soil at low water content after compaction by various methods*, Soil Sci. Soc. Am. J., Vol. 52, pp. 303-310.

Russo, D. (1988) *Determining soil hydraulic properties by parameter estimation: On the selection of a model for the hydraulic properties*, Water Resources Research, Vol. 24, No. 3, pp. 453-459.

Wheeler, S.J. (1988) *A Conceptual Model for Soils containing Large Gas Bubbles*, Géotechnique, Vol. 38, pp. 389-397.

Wosten, J.H.M., and van Genuchten, M.Th. (1988) *Using texture and other soil properties to predict the unsaturated soil hydraulic functions*, Soil Science Society America Journal, Vol. 52, pp. 1762-1770.

1987

Anderson, M.G, Kemp, M.J. and Shen, J.M. (1987) *On the use of Resistance Envelopes to Identify the Controls on Slope Stability in the Tropics*, Earth Surface Processes and Landforms, Vol. 12, No. 6, pp. 637-648.

Anderson, M.G. and Kemp, M.J. (1987) *Suction-Controlled Triaxial Testing - Laboratory Procedures in Relation to Resistance Envelope Methods*, Earth Surface Processes and Landforms, Vol. 12, No. 6, pp. 649-654.

Bruand, A. and Prost, R. (1987) *Effect of water content on the fabric of a soil material: an experimental approach*, Soil Science, Vol. 31, pp. 461-472.

Delage, P. (1987) *Aspects du Comportement des Sols Non-saturés*, Revue Française de Géotechnique, Vol. 40, pp. 33-43.

Fredlund, D.G. and Rahardjo, H. (1987) *Soil Mechanics Principles for Highway Engineering in Arid Regions*, Transportation Research Record, Vol. 113, No. 7, pp. 1-11.

Toll, D.G., Hight, D.W. and Shaw, H.F. (1987) *The Role of Soil Fabric in determining the Engineering Behaviour of Compacted Lateritic and Quartzitic Gravels*, Zeitschrift für Geomorphologie, Suppl. Bd. 64, pp. 133-144.

1986

Beven K.J. and Clarke, R.T. (1986) *On the variation of infiltration into a homogeneous soil matrix containing a population of macropores*, Water Resources Res., Vol. 22, No. 5, pp. 383-388.

Escario, V. and Saez, J. (1986) *The Shear Strength of Partly Saturated Soils*, Géotechnique, Vol. 36, No. 3, pp. 453-456.

Haverkamp, R., and Parlange, J.Y. (1986) *Predicting the water-retention curve from a particle-size distribution: 1. Sandy soils without organic matter*, Soil Science, Vol. 142, No. 6, pp. 325-339.

Mualem Y. (1986) *Hydraulic Conductivity of Unsaturated Soils: Prediction and Formulas*, in methods of Soil Analysis, Part 1, Physical and Mineralogical Methods, Second Edition, Agronomy, pp. 799-823.

Mualem, Y. (1986) *Hydraulic conductivity of unsaturated soils: prediction and formulas*, in Methods of Soil Analysis, No. 9, Part 1, pp. 799-823.

Nimmo, J.R. and Miller, E.E. (1986) *The temperature dependence of isothermal moisture vs. Potential characteristics of soils*, Soil Science Society of America Journal.

Saxton, K.E., Rawls, W.J., Romberger, J.S., and Papendick, R.I. (1986) *Estimating generalized soil-water characteristics from texture*, Soil Science Society of America Journal, Vol. 50, pp. 1031-1036.

van Genuchten, M.Th. and Dalton, F.N. (1986) *Models for simulating salt movement in aggregated field soils*, Geoderma, Vol. 38, pp. 165-183.

1985

Acar, Y.B., Hamidon, A., Field, S.D. and Scott, L. (1985) *Title the effect of organic fluids on hydrylic conductivity of compacted kaolin*, Hydraulic barriers in soil and rock, ASTM STP 874, pp. 451.

Ahuja, L.R., Naney, and Williams R.D. (1985) *Estimating soil-water characteristics from simpler properties or limited data*, Soil Sci. Soc. Am. Journal, Vol. 49, pp. 1100-1105.

Anderson, M.G. and Howes, S. (1985) *Development and Application of a Combined Soil-Water Slope Stability Model*, Quarterly Journal of Engineering Geology, Vol. 18, No. 3, pp. 225-236.

Campbell, G.S. (1985) *Soil Physics with Basic Transport Models for Soil-Plant Systems*.

Kool, J.B., Parker, J.C. and van Genuchten, M. Th. (1985) *Determining soil hydraulic properties from one-step outflow experiments by parameter estimation. II. Experimental studies*, Soil Science Society America Journal, Vol. 49, pp. 1354-1359.

Kool, J.B., Parker, J.C. and van Genuchten, M. Th. (1985) *Determining soil hydraulic properties from one-step outflow experiments by parameter estimation. I. Theory and numerical studies*, Soil Science Society America Journal, Vol. 49, pp. 1348-1354.

Snyder, V.A. and Miller, R.D. (1985) *Tensile Strength of Unsaturated Soils*, Soil Science Society of America Journal, Vol. 49, No. 1, pp. 58-65.

Talsma, T. (1985) *Prediction of hydraulic conductivity from soil water retention data*, Soil Science, Vol. 3, pp. 184-188.

1984

McKee, C.R. and Bumb, A.C. (1984) *Flow-Testing Coalbed Methane Production Wells in the Presence of Water and Gas*, SPE Formation Evaluation, Dec, pp. 99-608.

1983

Chang, C.S. and Duncan, J.M. (1983) *Consolidation Analysis for Partly Saturated Clay by using an Elastic-plastic Effective Stress-strain Model*, International Journal for Numerical and Analytical Methods in Geomechanics, Vol. 7, pp. 39-55.

Clothier, B.E. and Wooding, R.A. (1983) *The soil-water diffusivity near saturation*, Soil Science Society of America Journal, Vol. 47, pp. 636-640.

Dane, J.H. and Hruska, S. (1983) *In-situ determination of soil hydraulic properties during drainage*, Soil Science Society of America, Vol. 47, pp. 4.

Daniel, D.E. (1983) *Permeability test for unsaturated soil*, Geotechnical Testing Journal, GTJODJ, Vol. 6, No. 2, pp. 81-86.

de Jong, R.E. (1983) *Soil water desorption curves estimated from limited data*, Canadian Journal of Soil Science, Vol. 63, pp. 697-703.

de Jong, R.E., Campbell, C.A. and Nicholaichuk, W. (1983) *Water retention equations and their relationship to soil organic matter and particle size distribution for disturbed samples*, Canadian Journal of Soil Science, Vol. 63, pp. 291-302.

Ward, A. Wells, L.G. and Phillips, R.E. (1983) *Characterizing unsaturated hydraulic conductivity of western Kentucky surface mine spoils and soils*, Soil Science Society of America Journal, Vol. 47, pp. 847-854.

William J., R.E. Prebble, W.T. Williams and C.T. Hignett (1983) *The Influence of Texture, Structure and Clay Mineralogy on the Soil Moisture Characteristic*, Australian Journal of Soil Research, Vol. 21, pp. 15-32.

1982

Beven, K. J. and German, P.F. (1982) *Macropores and water flow in soils*, Water Resources Res., Vol. 18, No. 5, pp. 1311-1325.

Constantz, J. (1982) *Temperature dependence of unsaturated hydraulic conductivity of two Soils*, Soil Science Society of America Journal, Vol. 46, pp. 466-470.

Fredlund, D.G. and Dakshanamurthy, V. (1982) *Prediction of moisture flow and related swelling or shrinking in unsaturated soils*, Geotechnical Engineering, Vol. 13, pp. 15-59.

Gilham, R.W. and Cherry, J.A. (1982) *Contaminant migration in saturated unconsolidated geologic deposits*, Geological Society of America. Special Paper 189, pp. 31-62.

Ho, D.Y.F. and Fredlund, D.G. (1982) *A Multi-Stage Triaxial Test for Unsaturated Soils*, Geotechnical Testing Journal, ASTM, Vol. 5, No. 1/2, pp. 18-25.

Lascano, R.J. and van Babel, C.H.M. (1982) *Spatial variability of soil hydraulics and remotely sensed soil parameters*, Soil Science Society of America Journal, Vol. 46, No. 2, pp. 223-28.

1981

Arya, L.M. and Paris, J.F. (1981) *A physicoempirical model to predict the soil moisture characteristic from particle-size distribution and bulk density data*, Soil Science Society of America Journal, Vol. 45, pp. 1023-1030.

Bache, B.W., Frost, C.A., and Inkson, R.H.E. (1981) *Moisture release characteristics and porosity of twelve Scottish soil series and their variability*, Journal of Soil Science, Vol. 32, pp. 505-520.

Haverkamp, R. and Vauclin, M. (1981) *A comparative study of three forms of the Richard equation used for predicting one-dimensional infiltration in unsaturated soil*, Soil Science Society of America Journal, Vol. 45, pp. 13-20.

McCuen, R.H., Rawls, W.J. and Brakensiek, D.L. (1981) *Statistical Analyses of the Brook-Corey and the Green-Ampt Parameters Across Soil Textures*, Water Resour. Res., Vol. 17, pp. 1005-1013.

Ragab, R., Feyen, J., and Hillel, D. (1981) *Comparative study of numerical and laboratory methods for determining the hydraulic conductivity function of a sand*, Vol. 131, No. 6, pp. 375-388.

Zachmann, D. W., Duchateau, P. C. and Klute, A. (1981) *The calibration of the Richards flow equation for a draining column by parameter identification*, Soil Sci. Soc. Am. J., No. 1012-1015.

1980

Ahuja, L. R., Green R. E. and Chong, S.-K. (1980) *A simplified functions approach for determining soil hydraulic conductivities and water characteristics in situ*, Water Resources Res., Vol. 16, pp. 947-953.

Ghosh, R.K. (1980) *Estimation of soil-moisture characteristics from mechanical properties of soils*, Soil Science, Vol. 130, No. 2, pp. 60-63.

Ghuman, B.S. and Prihar, S.S. (1980) *Chloride displacement by water in homogeneous columns of three soils*, Soil Science Society of America Journal, Vol. 44, pp. 17-21.

Lloret, A. and Alonso, E.E. (1980) *Consolidation of Unsaturated Soils including Swelling and Collapse Behaviour*, Géotechnique, Vol. 30, No. 4, pp. 449-477.

Sisson, J.B., Ferguson, A.H., and van Genuchten, M. Th. (1980) *Simple method for predicting drainage from field plots*, Soil Science Society of America Journal, Vol. 44, pp. 1147-1152.

van Genuchten, M.T. (1980) *A closed form equation for predicting the hydraulic conductivity of unsaturated soils*, Soil Science Society America Journal, pp. 882-890.

1979

Bullock, P. and Thomasson, A.J. (1979) *Rothamsted studies of soil structure, 2. Measurement and characterization of macroporosity by image analysis and comparison with data from water retention measurements*, Journal of Soil Science, Vol. 30, No. 3, pp. 391-414.

Fredlund, D.G. (1979) *Appropriate Concepts and Technology for Unsaturated Soils*, Canadian Geotechnical Journal, Vol. 16, pp. 121-139.

Fredlund, D.G. and Hasan, J.V. (1979) *One dimensional consolidation theory : unsaturated soils*, Canadian Geotechnical Journal, Vol. 16, pp. 521-531.

Gupta, S.C., and Larson, W.E. (1979) *Estimating soil-water retention characteristics from particle size distribution, organic matter percent, and bulk density*, Water Resources Research, Vol. 15, No. 6, pp. 1633-1635.

McWhorter, D.B., and Nelson, J.D. (1979) *Unsaturated flow beneath tailings impoundments*, Journal of Geotechnical Engineering, ASCE, Vol. 115, pp. 1317-1344.

Verbrugge, J.C. (1979) *Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé : réponse*, Revue Canadienne de Géotechnique, Vol. 16, pp. 615-616.

1978

Boels, D., van Gils, B.H.M., Veerman, G.J., and Wit, K.E. (1978) *Theory and system of automatic determination of soil moisture characteristics and unsaturated hydraulic conductivities*, Soil Science, Vol. 126, No. 4, pp. 191-199.

Bresler, E. Russo, D. and Miller, R.D. (1978) *Rapid estimate of unsaturated hydraulic conductivity function*, Soil Science Society of America Journal, Vol. 42, pp. 170-172.

Clapp, R.B. and Hornberger, G.M. (1978) *Empirical Equations for Some Hydraulic Properties*, Water Resources Res., Vol. 14, pp. 601-604.

Fredlund, D.G., Morgenstern, N.R. and Widger, R.A. (1978) *The Shear Strength of Unsaturated Soils*, Canadian Geotechnical Journal, Vol. 15, No. 3, pp. 313-321.

Mualem Y., and Morel-Seytoux, H.J. (1978) *Analysis of a capillary hysteresis model based on a one-variable distribution function*, Water Resources Research, Vol. 14, No. 4, pp. 605-610.

Mualem, Y. (1978) *Hydraulic conductivity of unsaturated porous media: generalized macroscopic approach*, Water Resources Res., Vol. 14, pp. 325-334.

Mualem, Y. and Dagan, G. (1978) *Hydraulic conductivity of soils: Unified approach to the statistical models*, Soil Sci. Soc. Am. J., Vol. 42, pp. 392-395.

Roger, B.C. and Hornberger, G.M. (1978) *Empirical Equations for Some Soil Hydraulic Properties*, Water Resources Research, Vol. 14, No. 4.

Verbrugge, J.C. (1978) *Emploi d'une méthode psychrométrique dans des essais triaxiaux sur un limon remanié non saturé*, Revue Canadienne de Géotechnique, Vol. 15, pp. 501-509.

1977

Anderson, M.G. and Burt, T.P. (1977) *Automatic Monitoring of Soil Moisture Conditions in a Hillslope, Spur and Hollow*, Journal of Hydrology, Vol. 33, pp. 27-36.

Fredlund, D.G. and Morgenstern, N.R. (1977) *Stress State Variables for Unsaturated Soils*, Journal of Geotechnical Engineering, ASCE, Vol. 103, No. GT5, pp. 447-466.

Hall, D.G.M., Reeve, M.J., Thomasson, A.J., and Wright, V.F. (1977) *Water Retention, Porosity and Density of field Soils*, Soil Survey, Technical Monograph No. 9, pp. 75.

Narasimhan, T.N., and Witherspoon, P.A. (1977 (1978?)) *Numerical model for saturated-unsaturated flow in deformable porous media. 1. Theory*, Water Resources Research, Vol. 13, No. 3, pp. 657-664.

1976

Ghosh, R.K. (1976) *Model of the soil-moisture characteristic*, Journal of the Indian Society of Soil Science, Vol. 24, pp. 353-355.

Gillham, R. W., Klute, A. and Herman, D. F. (1976) *Hydraulic properties of a porous medium: measurement and empirical representation*, Soil Science Society of America Journal, Vol. 40, pp. 203-207.

Mualem, Y. (1976) *A new model for predicting the hydraulic conductivity of unsaturated porous media*, Water Resources Res., Vol. 12, pp. 513-522.

1975

Bishop, A.W., Kumapley, N.K. and El-Ruwayih, A. (1975) *The Influence of Pore-Water Tension on the Strength of Clay*, Proc. Royal Society, Vol. 278, No. 1286, pp. 511-554.

Fredlund, D.G. (1975) *A Diffused Air Volume Indicator for Unsaturated Soils*, Canadian Geotechnical Journal, Vol. 12, No. 4, pp. 533-539.

1974

Ahuja, L. R. (1974) *Unsaturated hydraulic conductivity from cumulative inflow data*, Soil Sci. Soc. Am. Proc., Vol. 38, pp. 695-699.

Campbell, G.S. (1974) *A Simple Method for Determining Unsaturated Conductivity from Moisture Retention*, Soil Sci., Vol. 11, pp. 311-314.

Feddes, R.A., Bresler, E., and Neuman, S.P. (1974) *Field test of a modified numerical model for water uptake by root systems*, Water Resources Research, Vol. 10, No. 6, pp. 1199-1206.

McQueen, I.S., and Miller, R.F. (1974) *Approximating soil moisture characteristics from limited data: empirical evidence and tentative model*, Water Resources Research Journal, Vol. 10, No. 3, pp. 521-527.

Mualem, Y. (1974) *A conceptual model of hysteresis*, Water Resources Research, Vol. 10, No. 3, pp. 514-520.

Mualem, Y. (1974) *Hydraulic properties of unsaturated porous media: a critical review and new models of hysteresis and prediction of the hydraulic conductivity*, Technion, Proj. no. 38/74. Israel Institute of Technology, Haifa.

Oldenziel, D.M. and Brink, W.E. (1974) *Influence of suction and blowing on entrainment of sand particles*, Journal of the Hydraulics Division, Proc. of the ASCE, Vol. 100, pp. 935-949.

Rycroft, D.W. and Thorburn, A.A. (1974) *Water stability tests on clay soils in relation to mole draining*, Soil Science, Vol. 117, No. 5, pp. 306-310.

Vachaud, G., Gaudet, J.P. and Kuraz, E. (1974) *Air and water flow during ponded infiltration in a bounded column of soil*, Journal of Hydrology, Vol. 22, pp. 89-108.

1973

Barden L., McGown A. and Collins, K. (1973) *The Collapse Mechanism in Partly Saturated Soil*, Engineering Geology, Vol. 7, pp. 49-60.

Joshua, W.D. and de Jong, E. (1973) *Soil moisture movement under temperature gradients*, Can. J. Soil. Sc., Vol. 53, pp. 49-57.

Klute, A. (1973) *Soil water flow theory and its application in field situations*, Field Soil Water Regime. Symposium - Annual Meetings of the Soil Science Society of America, 1971, pp. 9-35.

Miller, D.E. (1973) *Water retention and flow in layered soil profiles*, Field Soil Water Regime. Symposium - Annual Meetings of the Soil Science Society of America, 1971, pp. 107-117.

1972

Bruce, R.R. (1972) *Hydraulic conductivity evaluation of the soil profile from soil water retention relations*, Soil Science Society America Proceedings, Vol. 36, pp. 555-561.

Jackson, R. D. (1972) *On the calculation of hydraulic conductivity*, Soil Sci. Soc. Am. Proc., Vol. 36, pp. 380-382.

Klute, A. (1972) *The determination of the hydraulic conductivity and diffusivity of unsaturated soils*, Soil Science, Vol. 113, No. 4, pp. 264-276.

1971

Freeze, R.A. (1971) *Three-Dimensional Transient, Saturated-Unsaturated Flow in a Groundwater Basin*, Water Resources Research, Vol. 7, pp. 347-366.

Green, R.E. and Corey, J.C. (1971) *Calculation of Hydraulic Conductivity: A Further Evaluation of Some Predictive Methods*, Proc. Soil Sci. Soc. of Am., Vol. 35, pp. 3-8.

Kassif, G. and Ben Shalom, A. (1971) *Experimental relation ship between swell pressure and suction*, Géotechnique, Vol. 21, No. 3, pp. 245-255.

1970

Dreene-Kelly. R. and Mackney, D. (1970) *Preferred orientation of clay in soils: the effect of drying and wetting*, in Micro-morphological Techniques and Applications. Soil Survey Tech. Monogr., 2, pp. 43-52.

Freeze, R.A., and Banner, J. (1970) *The mechanism of natural ground-water recharge and discharge. 2. Laboratory column experiments and field measurements*, Water Resources Research, Vol. 6, No. 1, pp. 138-155.

Livneh, N., Kinsky, and Zaslavsky, D. (1970) *Correlations of suction curves with the plasticity index of the soils*, Journal of materials, JMLSA, Vol. 5, No. 1, pp. 209-220.

Staple, W. J. (1970) *Predicting the moisture distributions in rewetted soils*, Soil Science Society of America Proceedings, Vol. 34, pp. 387-392.

White, N. F., Duke, H. R., Sundae, D. K. and Corey, A. T. (1970) *Physics of desaturation in porous materials*, Proc. Irrigation and Drainage Division, ASCE, Vol. 96, pp. 165-191.

1969

Barden, L., Madedor, A.O. and Sides, G.R. (1969) *Volume Change Characteristics of Unsaturated Clay*, Journal of Soil Mechanics and Foundations Division, ASCE, Vol. 95, No. SM1, pp. 35-52.

Staple, W.J. (1969) *Comparison of computed and measured moisture redistribution following infiltration*, Soil Science Society of America Proceedings, Vol. 33, pp. 840-847.

Topp, G.C. (1969) *Soil-water hysteresis measured in a sandy loam and compared with the hysteretic domain model*, Soil Science Society of America, Vol. 33, pp. 645-651.

1968

Gardner, W.H. (1968) *How water moves in the soil*, Crops and Soils Magazine, American Society of Agronomy, Inc..

Kunze, R.J. Uehara, G. and Graham, K. (1968) *Factors important in the calculation of hydraulic conductivity*, Soil Science Society of America Proceedings, Vol. 32, pp. 760-765.

Matyas, E.L. and Radhakrishna, H.S (1968) *Volume Change Characteristics of Partially Saturated Soils*, Géotechnique, Vol. 18, No. 4, pp. 432-448.

1967

Blight, G.E. (1967) *Effective Stress Evaluation for Unsaturated Soils*, Journal of Soil Mechanics and Foundations Division, ASCE, No. SM2, pp. 125-148.

Weeks, L. V. and Richards, S. J. (1967) *Soil-water properties computed from transient flow data*, Soil Sci. Soc. Am. Proc., Vol. 31, pp. 721-725.

Williams, P.J. (1967) *Replacement of Water by Air in Soil Pores*, The Engineer, 24 Feb, Vol. 223, No. 5796, pp. 293-298.

1966

Brooks R.H. and Corey, A.T. (1966) *Properties of porous media affecting fluid flow*, Journal of the Irrigation and Drainage Division, Proceedings of the ASCE, Vol. 92, No. IR2, pp. 61-87.

Brutsaert, W. (1966) *Probability laws for pore size distributions*, Soil Science, Vol. 101, No. 2, pp. 85-92.

de Jong, E. (1966) *Hydraulic conductivity of clays during shrinkage*, Soil Science Society of America Proc., Vol. 30, No. 3, pp. 289-292.

Lalibrete, G. E., Corey, A. T. and Brooks, R. H. (1966) *Properties of unsaturated porous media*, Hydrol. Paper No. 17, Colorado State University, pp. 34.

Topp, G. C. and Miller, E. E. (1966) *Hysteretic moisture characteristics and hydraulic conductivities for glass-bead media*, Proc. Soil Sci. Soc. Am., Vol. 30, pp. 156-162.

Visser, W.C. (1966) *An empirical expression for the desorption curve*, International Association of Scientific Hydrology, Proceedings of the Wageningen Symposium, Wageningen, The Netherlands, pp. 329-335.

1965

Barden, L. (1965) *Consolidation of Compacted and Unsaturated Clays*, Géotechnique, Vol. 15, No. 3, pp. 267-286.

Corey, G.L. et al (1965) *Similitude for Non-Steady Drainage of Partially Saturated Soils*, Hydrology Paper, Colorado State University.

Jackson, R.D., Reginato R.J., and van Bavel, C.H. (1965) *Comparison of measured and calculated hydraulic conductivities of unsaturated soils*, Water Resources Research, Vol. 1, pp. 375-380.

1964

Blackmore, A.V. and Marshall, T.J. (1964) *Water movement through a swelling material*, Australian J. of Soil Res., Vol. 3, pp. 11-21.

Brooks R.H. and Corey, A.T. (1964) *Hydraulic Properties of Porous Media*, Colorado State Univ. Hydrol. Paper, No. 3, March 1964, pp. 27.

Burland, J.B. (1964) *Effective Stress in Partly Saturated Soils. Discussion of 'Some Aspects of Effective in Saturated and Partly Saturated Soils' by Blight, G E and Bishop, A W*, Géotechnique, Vol. 14, No. 1, pp. 64-68.

Williams, P.J. (1964) *Pressure membrane apparatus for the investigation of high suctions in soils*, Division of Building Research, National Research Council, Ottawa, Canada, No. 45, pp. 1-5.

Williams, P.J. (1964) *Unfrozen water content of frozen soils and soil moisture suction*, Geotechnique, Vol. 14, No. 3, pp. 231-246.

Youngs, E.G. (1964) *An infiltration method of measuring the hydraulic conductivity of unsaturated porous materials*, Soil Science, Vol. 5, No. 307-311.

1963

Bishop, A.W. and Blight, G.E. (1963) *Some Aspects of Effective Stress in Saturated and Partly Saturated Soils*, Géotechnique, Vol. 13, No. 3, pp. 177-197.

Cary, J.W. (1963) *Onsager's relation and the non-isothermal diffusion of water vapor*, Journal of Physical Chemistry, Vol. 67, No. 123, pp. 125-129.

Yoshimi, Y. and Osterberg, J.O. (1963) *Compression of Partially Saturated Cohesive Soils*, Journal of Soil Mechanics and Foundations Division, ASCE, Vol. 89, pp. 1-24.

1962

Bianchi, W.C. (1962) *Measuring Soil Moisture Tension Changes. Agricultural Engineering*, Journal of the American Society of Agricultural Engineers, Vol. 43, No. 7, pp. 398, 399, 404.

Childs, E.C. and Poulouvalis (1962) *The moisture profile above a moving water table*, Journal of Soil Science, Vol. 13, No. 2, pp. 271-285.

Coleman, J.D. (1962) *Stress/ Strain Relations for Partly Saturated Soils*, Géotechnique (Correspondence), Vol. 12, No. 4, pp. 348-350.

de Vries, J., and Webber, L.R. (1962) *Field capacity of a soil as affected by previous cultural treatment*, Canadian Journal of Soil Science, Vol. 42, pp. 13-16.

Jennings, J.E.B. and Burland, J.B. (1962) *Limitations to the use of Effective Stresses in Partly Saturated Soils*, Géotechnique, Vol. 12, No. 2, pp. 125-144.

Warkentin, B. P. (1962) *Water retention and swelling pressure of clay soils*, Canadian Journal of Soil Science, Vol. 42, pp. 189-196.

1961

Coleman, J.D. and Marsh, A.D. (1961) *An Investigation of the Pressure Membrane Method for measuring the Suction Properties of Soil*, Journal of Soil Science, Vol. 12, No. 2, pp. 343-362.

Corey, A.T. and Kemper, W.D. (1961) *Concept of Total Potential in Water and its Limitations*, Soil Science, Vol. 91, No. 5, pp. 299-302.

Kirkham, D. (1961) *Soil Physics 1936-1961 and a look ahead*, Journal paper No. J-4169 of the Iowa Agr. and Home Econ. Exp. Sta., Ames. Project No. 998.

Staple, W.J. (1961) *Hysteresis effects in soil moisture movement*, Can. Journ. of Soil Sci., Vol. 42, pp. 247-253.

Thomas, G.W. and Moody, J.E. (1961) *Chemical relationships affecting the water- holding capacities of clays*, Soil Sci. Soc. of Am. Proc., Vol. 26, No. 2, pp. 153-155.

Wesseling, J. (1961) *Hydraulic conductivity of natural Pachappa soil columns*, Soil Science, Vol. 118, No. 1, pp. 6-10.

Wesseling, J. (1961) *Principles of the unsaturated flow and their application to the penetration of moisture into the soil*, Institute for Land and Water Management Research, Netherlands, Technical Bulletin 23.

Wilcox. (1961) *Note on effects of wetting and drying on readings of electrical resistance blocks in soil*, Journal of Soil Science, Vol. 41, pp. 250-252.

Wind, G.P. (1961) *Capillary rise and some applications of the theory of moisture movement in unsaturated soils*, Institute for Land and Water Management Research, Netherlands, Technical Bulletin 22.

Wind, G.P. and Hidding, A.P. (1961) *The soil-physical basis of the improvement of clay cover-soils*, Netherlands J. Agri. Sc., Vol. 9, No. 4, pp. 281-292.

1960

Fitzgerald, P.D., and Rickard, D.S. (1960) *A comparison of Penman's and Thornwaite's method of determining soil moisture deficits*, New Zealand Journal of Agricultural Research, Vol. 3, No. 1, pp. 106-112.

Kemper, W.D. (1960) *Water and ion movement in thin films as influenced by the electrostatic charge and diffuse layer of cations associated with clay mineral surfaces*, Soil Sci. of Am. Proc., Vol. 24, pp. 10-16.

Nielsen, D., Kirkham, R. D., and Perrier, E. R. (1960) *Soil capillary conductivity; comparison of measured and calculated values*, Soil Sci. Soc. Am. Proc., Vol. 24, pp. 157-160.

Peerlkamp, P.K. and Boekel, P. (1960) *Moisture retention by soils*, Versl. Meded. Comm. Hydrolo. Onderz, T.N.O. No. 5, 'S-Gravenhage, pp. 18.

Peters, D.B. (1960) *Relative magnitude of evaporation and transpiration*, Agronomy Journal, Vol. 52, pp. 536-538.

Ray, P.M. (1960) *On the theory of osmotic water movement*, Plant physiology, pp. 783-795.

Willis, W.O. (1960) *Evaporation from layered Soils in the Presence of a Water Table*, Soil Sci. Soc. of Am. Proc., Vol. 24, No. 4, pp. 239-242.

1959

Butijin, J. and Wesseling, J. (1959) *Determination of the capillary conductivity of soils at low moisture tensions*, Institute for Land and Water Management Research. Technical Bulletin 5, pp. 155-163.

de Vries, D.A. (1959) *The influence of irrigation on the energy and the climate near the ground*, Journal of Meteorology, Vol. 16, No. 3, pp. 256-270.

Emerson, W.W. (1959) *The structure of soil crumbs*, Journal of Soil Science, Vol. 10, No. 2, pp. 236-244.

Greacen, E.L. (1959) *Swelling forces in straining clays*, Nature, Vol. 184, pp. 1695-1697.

Rijtema, P.E. (1959) *Calculation methods of potential evapotranspiration*, Institute for Land and Water Management Research.

Watson, K.K. (1959) *A Note on the Field Use of a Theoretically Derived Infiltration Equation*, Journal of Geophysical Research, Vol. 64, No. 10, pp. 1611-1615.

Woodside, W. and Cliffe, J.B. (1959) *Heat and moisture transfer in closed systems of two granular materials*, Soil Science, Vol. 87, No. 2.

1958

Alymore, L.A.G. and Quirk, J.P. (1958) *Swelling of clay-water systems*, Nature, Vol. 183, pp. 1752-1753.

Gardner, W.R. (1958) *Laboratory Studies of Evaporation from Soil Columns in the Presence of a Water Table*, Soil Science, Vol. 85, No. 4, pp. 244-249.

Gardner, W.R. (1958) *Some steady state solutions of the unsaturated moisture flow equation with application to evaporation from a water table*, Soil Science, Vol. 85, pp. 228-232.

Marshall T.J. (1958) *A Relation Between Permeability and Size Distribution of Pores*, Journal of Soil Science, Vol. 9, pp. 1-8.

Monteith, J.L. and Owen, P.C. (1958) *A thermocouple method for measuring relative humidity in the range 95-100%*, Journal of Scientific Instruments, Vol. 35, pp. 443-446.

Russam, K. (1958) *An Investigation into the Soil Moisture Conditions Under Roads in Trinidad*, B.W.I., Geotechnique, Vol. 8, pp. 57-71.

Wyllie, M. R. J. and Gardner, G. H. F. (1958) *The generalized Kozeny-Carman equation. A novel approach to problems of fluid flow*, World Oil Prod. Sect. 146, pp. 210-228.

Youngs, E.G. (1958) *Redistribution of moisture in porous materials after infiltration: 1*, Soil Science, Vol. 86, No. 3.

Youngs, E.G. (1958) *Redistribution of moisture in porous materials after infiltration: 2*, Soil Science, Vol. 86, No. 3, pp. 202-207.

1957

Corey, E.C. (1957) *Measurement of Air and Water Permeability in Unsaturated Soil*, Proceedings of the Soil Science Society of America, Vol. 21, pp. 7-11.

Kemper, W.D. (1957) *Structural implications of moisture retention by clay-size soil materials*, Soil Sci. Soc. of Am. Proc., pp. 5-8.

Phillip, J.R. (1957) *The theory of infiltration: 1. The infiltration equation and its solution*, Soil Science, Vol. 83, pp. 345-357.

Phillip, J.R. (1957) *The theory of infiltration: 2. The profile of infinity*, Soil Science, Vol. 83, pp. 435- 448.

Phillip, J.R. (1957) *The theory of infiltration: 3. Moisture profiles and relation to experiment*, Soil Science, Vol. 84, pp. 163-177.

Phillip, J.R. (1957) *The theory of infiltration: 6. Effect of water depth over soil*, Soil Science, pp. 278-286.

Phillip, J.R. and de Vries, D.A. (1957) *Moisture movement in porous materials under temperature gradients*, Transactions, American Geophysical Union, pp. 222-232.

Richards, L.A. (1957) *Water Retention and Transmission in Soil*, Hawaiian Sugar Technologist, Vol. 16, pp. 43-46.

Youngs, E.G. (1957) *Moisture profiles during vertical infiltration*, Soil Science, Vol. 84, No. 4, pp. 283-290.

1956

Gardner, R. (1956) *Calculation of Capillary Conductivity from Pressure Plate Outflow Data*, Proceedings of the Soil Science Society of America, Vol. 20, pp. 317-320.

Gardner, W.R. (1956) *Calculation of capillary conductivity from pressure outflow data*, Soil Sci. Soc. of Am. Proc., Vol. 20, No. 3, pp. 317-320.

Hilf, J.W. (1956) *An Investigation of Pore Water Pressure in Compacted Cohesive Soils*, US Bureau of Reclamation, Tech. Memo. 654.

Phillip, J.R. (1956) *The theory of infiltration: 4. Sorptivity and algebraic infiltration equations*, Soil Science, Vol. 84, pp. 257-264.

Phillip, J.R. (1956) *The theory of infiltration: 5. The infiltration equation and its solution*, Soil Science, Vol. 84, pp. 329-339.

1955

Elrick, D.E. and Tanner, C.B. (1955) *Influence of sample treatment on soil moisture retention*, Soil Science Society Proc., pp. 279-282.

Phillip, J.R. (1955) *Numerical solution of equations of the diffusion type with diffusivity concentration-dependent*, Transactions of the Faraday Society No. 391, Vol. 51, No. 7, pp. 885-892.

Wind, G. P. (1955) *Field experiment concerning capillary rise of moisture in heavy clay soil*, Neth. J. Agric. Sci., Vol. 3, pp. 60-69.

1954

Croney, D. and Coleman, J. D. (1954) *Soil structure in relation to soil suction (pF)*, J. Soil Sci., Vol. 5, pp. 75-84.

Irmay, S. (1954) *On the hydraulic conductivity of unsaturated soils*, Trans. Am. Geophys. Union, Vol. 35.

Phillip, J.R. (1954) *An infiltration equation with physical significance*, Soil Science, Vol. 77, No. 2, pp. 153-157.

Staple, W.J. and Lehane, J.J. (1954) *Movement of moisture in unsaturated soils*, Canadian Journal of Agricultural Science, pp. 329-342.

1953

Burdine, N.T. (1953) *Relative permeability calculations from pore size distribution data*, Journal of Petroleum Technology, Vol. 5, No. 3, pp. 71-78.

1952

Croney, D. (1952) *The Movement and Distribution of Water in Soils*, Géotechnique, Vol. 3, No. 1, pp. 1-16.

Richards, L.A. (1952) *Report of the Subcommittee on Permeability and Infiltration*, Committee on Terminology, Soil Sci. Soc. of Am., pp. 85-88.

Wyllie, M. R. and Spangler, M. B. (1952) *Application of electrical resistivity measurements to problem of fluid flow in porous media*, Bulletin of the American Association of Petroleum Geologists, Vol. 36, pp. 359-403.

Pre 1950

Purcell, W.R. (1949) *Capillary pressures-their measurement using mercury and the calculation of permeability therefrom*, Pet. Trans. Am. Inst. Min., Metall. Pet. Eng., Vol. 186, pp. 39-48.

Temperley, R.N.V. (1946) *The Behaviour of Water under Hydrostatic Tension II*, Proc. Phys. Soc., Vol. 58, pp. 436.

Richards, L.A. (1940) *Concerning permeability units for soils*, Soil Sc. Soc. of Am. Proc., pp. 49-53.

Shaw, Byron, and Baver, L.D. (1939) *Heat conductivity as an index of soil moisture*, Journ. Amer. Soc. Agron., Vol. 31, pp. 886-891.

Baver, L.D. (1938) *Soil permeability in relation to non-capillary porosity*, Proc. Soil Sci. Soc. Amer., Vol. 3, pp. 52-56.

More, R.E. (1938) *Water conduction from shallow water tables*, Hilgardia, Vol. 12, No. 6, pp. 383-426.

Russel, M.B., and Richards, L.A. (1938) *The determination of soil moisture energy relations by centrifugation*, Soil Sci. Amer. Proc., Vol. 3, pp. 65-69.

Carman, P.C. (1937) *Fluid flow thorough granular beds*, Trans. Inst. Chem. Engrs., Vol. 15, pp. 150-166.

Richards, L. A. (1931) *Capillary conduction of liquid through porous medium*, J. Physics, Vol. 1, pp. 318-333.

Richards, L.A. (1928) *The usefulness of capillary potential to soil moisture and plant investigators*, Journal of Agricultural Research, Vol. 37, pp. 12.

Veihmeyer, F.J., and Hendrickson, A.H. (1928) *Soil moisture at permanent wilting of plants*, Plants Phys., Vol. 3, pp. 355-357.

Haines, W.B. (1927) *Studies of the Physical Properties of Soils. IV. Further Contribution to the Theory of Capillary Phenomena in Soil*, Journal Agricultural Science, Vol. 17, pp. 264-290.

Haines, W.B. (1927) *Studies on the Physical Properties of Soils*, Journal of Agricultural Science, Vol. 17, pp. 264 - 290.

Fisher, R.A. (1926) *On the Capillary Forces in an Ideal Soil; Correction of Formulae given by W. B. Haines*, Journal Agricultural Science, Vol. 16, pp. 492-505.

Keen, B.A., Crowther, E.M., and Coutts, J.C.H. (1926) *The evaporation of water from soil (III). A critical study of the technique*, Journ. Agr. Sci., Vol. 16, pp. 105-122.

Haines, W.B. (1925) *A Note on the Cohesion Developed by Capillary Forces in an Ideal Soil*, Journal of Agricultural Science, Vol. 15, pp. 529-535.

Haines, W.B. (1925) *Studies of the Physical Properties of Soils. I. Mechanical Properties Concerned in Cultivation*, Journal Agricultural Science, Vol. 15, pp. 178-200.

Haines, W.B. (1925) *Studies of the Physical Properties of Soils. II. A Note on the Cohesion Developed by Capillary Forces in an Ideal Soil*, Journal Agricultural Science, Vol. 15, pp. 529-535.

Fisher, E.A. (1924) *Remarks and observations on imbibitional soil moisture*, Jour. Agr. Sci., Vol. 14, pp. 204-220.

Fisher, E.A. (1923) *Some factors affecting the evaporation from soil*, Jour. Agr. Sci., Vol. 13, pp. 121-143.

Haines, W.B. (1923) *The volume changes associated with variations of water content in soil*, Jour. Agr. Sci., Vol. 13, pp. 296-310.

Keen, B.A. (1920) *The relation existing between the soil and its water content*, Journ. Agr. Sci., Vol. 13, pp. 49-59.

Alway, F.J., and McDole, G.R. (1917) *Relation of the water-retaining capacity of a soil to its hygroscopic coefficient*, Jour. Agr. Res, Vol. 9, pp. 27-71.

Briggs, L.J., and McLane, J.W. (1907) *The moisture equivalent of soils*, U.S. Dept. Agr. Bur. Soils Bul. 45.

Buckingham, E. (1907) *Studies on the movement of soil moisture*, U.S. Dept. Agr., Bur. Soils Bul. 38.

Briggs, L.J. (1897) *The mechanics of soil moisture*, U.S. Dept. Agr. Bur. Soils Bul. 10.